



Exhibit A1
Staff Report
Frog Pond Overlook 12-Lot Subdivision
Development Review Board Panel 'A'
Quasi-Judicial Public Hearing
Adopted September 12, 2022

Hearing Date: September 12, 2022

Date of Report: September 1, 2022

Application Nos.: DB22-0002 Frog Pond Overlook 12-Lot Subdivision

- Annexation (ANNX22-0001)
- Zone Map Amendment (ZONE22-0002)
- Stage 1 Preliminary Plan (STG122-0002)
- Stage 2 Final Plan (STG222-0002)
- Site Design Review of Parks and Open Space (SDR22-0002)
- Tentative Subdivision Plat (SUBD22-0001)
- Type C Tree Removal Plan (TPLN22-0001)
- Abbreviated SROZ Map Verification (SROZ22-0004)

Request/Summary: The requests before the Development Review Board include Annexation, Zone Map Amendment, Stage 1 Preliminary Plan, Stage 2 Final Plan, Site Design Review of Parks and Open Space, Tentative Subdivision Plat, Type C Tree Removal Plan, and Abbreviated SROZ Map Verification

Location: 7315 SW Frog Pond Lane. The property is specifically known as TLID 700 and a portion of SW Frog Pond Lane right-of-way, Section 12D, Township 3 South, Range 1 West, Willamette Meridian, Clackamas County, Oregon.

Owner/Applicant: West Hills Land Development LLC (Contact: Dan Grimberg)

Applicant's Rep.: OTAK, Inc. (Contact: Li Alligood AICP)

Comprehensive Plan Designation: Residential Neighborhood

Zone Map Classification (Current): Rural Residential Farm Forest 5-Acre (RRFF-5; Clackamas County)

Zone Map Classification (Proposed): Residential Neighborhood (RN)

Staff Reviewers: Georgia McAlister, Associate Planner
Amy Pepper, PE, Development Engineering Manager
Kerry Rappold, Natural Resources Manager


Staff Recommendation: Recommend approval to the City Council of the Annexation and Zone Map Amendment, **approve with conditions** the Stage 1 Preliminary Plan, Stage 2 Final Plan, Site Design Review of Parks and Open Space, Tentative Subdivision Plat, Type C Tree Plan, and Abbreviated SROZ Map Verification, contingent on City Council approval of the Annexation and Zone Map Amendment.

Applicable Review Criteria:

<u>Development Code:</u>	
Section 4.008	Application Procedures-In General
Section 4.009	Who May Initiate Application
Section 4.010	How to Apply
Section 4.011	How Applications are Processed
Section 4.014	Burden of Proof
Section 4.031	Authority of the Development Review Board
Section 4.033	Authority of City Council
Subsection 4.035 (.04)	Site Development Permit Application
Subsection 4.035 (.05)	Complete Submittal Requirement
Section 4.110	Zones
Section 4.113	Standards Applying to Residential Development in All Zones
Section 4.118	Standards Applying to Planned Development Zones
Section 4.127	Residential Neighborhood (RN) Zone
Section 4.139 through 4.139.11	Significant Resource Overlay Zone (SROZ)
Section 4.140	Planned Development Regulations
Section 4.154	On-site Pedestrian Access and Circulation
Section 4.155	Parking, Loading, and Bicycle Parking
Sections 4.156.01 through 4.156.11	Signs
Section 4.167	Access, Ingress, and Egress
Section 4.171	Protection of Natural Features and Other Resources
Section 4.175	Public Safety and Crime Prevention
Section 4.176	Landscaping, Screening, and Buffering
Section 4.177	Street Improvement Standards
Section 4.197	Zone Changes
Sections 4.200 through 4.290	Land Divisions
Sections 4.300 through 4.320	Underground Utilities
Sections 4.400 through 4.440 as applicable	Site Design Review
Sections 4.600-4.640.20	Tree Preservation and Protection
Section 4.700	Annexation
<u>Comprehensive Plan and Sub-elements:</u>	

Citizen Involvement	
Urban Growth Management	
Public Facilities and Services	
Land Use and Development	
Plan Map	
Area of Special Concern L	
Transportation Systems Plan	
Frog Pond West Master Plan	
<u>Regional and State Law and Planning Documents</u>	
Metro Code Chapter 3.09	Local Government Boundary Changes
ORS 222.111	Authority and Procedures for Annexation
ORS 222.125	Annexation by Consent of All Land Owners and Majority of Electors
ORS 222.170	Annexation by Consent Before Public Hearing or Order for Election
Statewide Planning Goals	

Vicinity Map



Background:

The subject property has long been rural/semi-rural, adjacent to the growing City of Wilsonville. Metro added the 181-acre area now known as Frog Pond West to the Urban Growth Boundary in 2002 to accommodate future residential growth. To guide development of the area and the urban reserve areas to the east and southeast, the City of Wilsonville adopted the Frog Pond Area Plan in November 2015. The Frog Pond Area Plan envisions that: "The Frog Pond Area in 2035 is an integral part of the Wilsonville community, with attractive and connected neighborhoods. The community's hallmarks are the variety of quality homes; open spaces for gathering; nearby services, shops and restaurants; excellent schools; and vibrant parks and trails. The Frog Pond Area is a convenient bike, walk, drive, or bus trip to all parts of Wilsonville."

As a follow up to the Area Plan and in anticipation of forthcoming development, in July 2017 the City of Wilsonville adopted the Frog Pond West Master Plan for the area within the UGB. To guide development and implement the vision of the Area Plan, the Master Plan includes details on land use (including residential types and unit count ranges), residential and community design, transportation, parks and open space, and community elements such as lighting, street trees, gateways, and signs. The Master Plan also lays out the infrastructure financing plan.

The proposed 12-lot subdivision is the tenth development proposal in Frog Pond West. The subdivision will connect to the concurrently proposed Frog Pond Terrace to the south, previously approved Frog Pond Vista subdivision to the northeast, and Morgan Farm subdivision to the south, blending together as one cohesive neighborhood consistent with the Frog Pond West Master Plan.

One nearby land use application has been submitted for a site near the subject property. Frog Pond Terrace (DB22-0003) is located southwest of Frog Pond Overlook and contains features such as street extensions, pedestrian connections, and street trees that will interface with this application. Staff have reviewed this application in the context of the property to ensure all shared components are consistently applied across both subdivisions.

Application Summary:

Annexation (ANNX22-0001)

The area proposed for annexation is contiguous to land currently in the City, within the UGB, and master planned for residential development. The property owner of TLID 700 has consented in writing to the annexation, and no electors reside within the area proposed for annexation.

Zone Map Amendment (ZONE22-0002)

Concurrent with the adoption of the Frog Pond West Master Plan, the City added a new zoning district, Residential Neighborhood (RN), intended for application to the Master Plan area. The applicant proposes applying the RN Zone to the annexed area consistent with this intention.

Stage 1 Preliminary Plan (STG122-0002)

The proposed residential use, number of lots, preservation of open space, and general block and street layout are consistent with the Frog Pond West Master Plan. Specifically in regards to residential land use unit count, the proposed Stage 1 Preliminary Plan area includes the large lot Sub-district 8. See Finding C17 for a more detailed discussion on how the proposal meets the required density in each sub-district consistent with the Master Plan recommendations.

The Frog Pond West Master Plan established range for Sub-district 8 is 43-53 dwelling units. Approximately 20.7% of Sub-district 8 is within the project area and the applicant proposes 12 lots, exceeding the proportional density requirement for the site by one (1) lot while continuing to meet minimum lot size requirements for the sub-district.

Stage 2 Final Plan (STG222-0002)

The applicant proposes installing necessary facilities and services concurrent with development of the proposed subdivision.

Proposed lot layout and size, as well as block size and access, generally demonstrate consistency with development standards established for the Residential Neighborhood (RN) zone and in the Frog Pond West Master Plan.

Regarding the protection of natural features and other resources, the project design avoids disturbance of these features and resources. The site slopes slightly to the west from an elevation of roughly 232 feet along the eastern property boundary to 180 feet at the northwest corner of the property. Approximately three percent of the site is steeply sloped and within the SROZ or its impact area.

Site Design Review of Parks and Open Space (SDR22-0002)

The scope of the Site Design Review request includes design of common tracts and the streetscape. Overall, the design of these spaces is consistent with the Site Design Review standards and the Frog Pond West Master Plan. In particular, the proposed streetscape design conforms or will with Conditions of Approval to the street tree and street lighting elements of the Frog Pond West Master Plan. The design also includes open space tracts consistent with the Master Plan. Among the additional specific elements reviewed include the trailheads consistent with the Master Plan along with the landscaping and site furnishings in open space tracts.

Tentative Subdivision Plat (SUBD22-0001)

The proposed tentative plat meets technical platting requirements, demonstrates consistency with the Stage 2 Final Plan, and thus the Frog Pond West Master Plan, and does not create barriers to future development of adjacent neighborhoods and sites.

Type C Tree Removal Plan (TPLN22-0001)

There are 150 on-site trees and four (4) off-site trees inventoried as part of the proposed development. There are trees proposed for removal throughout the site with the highest concentration of trees proposed for removal along the southern property line. The trees will be removed due to construction of proposed public streets, residential lots and the trailhead park.

Of the 150 trees inventoried on-site, 107 are proposed for removal due to construction and 43 trees will be protected and preserved. The applicant proposes planting 48 new trees in the form of 27 street trees and 21 trees along the regional trail and private open space (Tract A) as shown in Sheets L2.00-L2.20. The applicant will mitigate the remaining 59 removed trees by paying the equivalent cost to replace 59 trees to the City Tree Fund totaling \$17,700.

Abbreviated SROZ Map Verification (SROZ22-0004)

Consistent with the Development Code requirements, a verification of the SROZ boundary is required at the time an applicant requests a land use decision. The applicant conducted a detailed site analysis consistent with Development Code requirements, which the City's Natural Resources manager reviewed to verify the SROZ boundary. Per this verification, the SROZ

boundary is located just offsite the northwest corner of the subject property, with a small portion of this area remaining in the 25-foot SROZ impact area.

Discussion Points – Verifying Compliance with Standards:

This section provides a discussion of key clear and objective development standards that apply to the proposed applications. The Development Review Board will verify compliance of the proposed applications with these standards.

Consistency with Statewide Planning Goals

The Statewide Planning Goals provide direction to local jurisdictions regarding the State's policies on land use. It is assumed the City's adopted Comprehensive Plan, which includes the adopted Frog Pond Area Plan and Frog Pond West Master Plan, is in compliance with the Statewide Planning Goals (specifically Goal 2, Land Use Planning), and that compliance with the Comprehensive Plan also demonstrates compliance with the Statewide Planning Goals. At the time of its adoption, the Frog Pond West Master Plan was found to be in compliance with all applicable Statewide Planning Goals, including Goals 1, 2, 5, 6, 7, 8, 9, 10, 11, 12, 13, and 14. Statewide Planning Goals particularly relevant to the Frog Pond Overlook application include Goals 10, 12, and 14.

Goal 10, Housing, identifies a need for "needed housing", which is defined for cities having populations larger than 2,500, as attached and detached single-family housing, multiple-family housing, and manufactured homes. Annexation of the subject site into the Wilsonville City limits will provide lots that can be developed with attached and detached single-family housing, which is defined as "needed housing" in the City's 2014 Residential Land Study.

Goal 12, Transportation, identifies the importance of a safe, convenient, and economic transportation system, and requires local jurisdictions to adopt a TSP. The proposed annexation area will comply with Wilsonville's TSP, which has been updated to include the Frog Pond West area. Annexation of the subject site will allow for its development, including new street connections included in the TSP.

Goal 14, Urbanization, identifies the need for orderly and efficient growth, the need to accommodate housing and employment within the UGB, and the importance of livable communities. The Frog Pond West Master Plan area was added to the UGB to accommodate residential growth. The Master Plan complied with Goal 14 and Metro Title 11, Planning for New Urban Areas, and guides the orderly annexation of the subject site, which is located in the Frog Pond West Master Plan area, development of a livable community, and provision of additional housing within the UGB.

As demonstrated above, the proposed projects are consistent with the Comprehensive Plan and Frog Pond West Master Plan, which have been found to be consistent with Statewide Planning Goals.

Traffic Impacts

The Traffic Impact Analysis (see Exhibit B1) performed by the City's consultant, DKS Associates, identifies the most probable used intersections for evaluation as:

- SW Stafford Road/SW Frog Pond Lane
- SW Stafford Road/SW Brisband Street
- SW Boeckman Road/SW Willow Creek Drive

The intersections listed above were selected for analysis as they are the most impacted by the increase in vehicle trips from the development and are the gateways to the Frog Pond West area. Other study intersections, such as SW Stafford Road/SW 65th Avenue and SW Canyon Creek Road/SW Boeckman Road, were not included in this analysis as the trips through those intersections would be insignificant (around 5 peak hour trips). Additionally, the SW Stafford Road/SW 65th Avenue intersection was not included as it was found to already fail to meet County standards under existing 2021 conditions, as noted in the Frog Pond Crossing TIA and Frog Pond Vista TIA. As noted in both of those reports, an intersection improvement has already been identified in the County's Capital Improvement Project List.

The study intersections meet the City of Wilsonville's operating standard for the existing conditions. The intersections will continue to perform at Level of Service D or better with the proposed project and thus meets City standards.

Residential Density Targets

As discussed earlier in the Application Summary of this staff report, the subject property is located in Sub-district 8 (large lot R-10). The applicant proposes 12 lots in Sub-district 8, exceeding the proportional density requirement for this part of the site by one (1) lot.

The portion of the subject property within Sub-district 8 that is not dedicated as right-of-way (82.5%) is much greater than in other subareas. Minimal right-of-way dedication is required because the section of SW Frog Pond Lane adjacent to the site is a local street, which allows driveway access, and Street A is shorter than anticipated in the Street Demonstration Plan due to the location of the Boeckman Creek Regional Trail and open space in the northwest portion of the site. The proposed development easily accommodates 12 lots in this portion of Sub-district 8 that meet or exceed minimum lot development standards while providing a regional trail and associated open space, while allowing for compliant future development within the master plan area.

Balancing Uses in Planter Strips

Many design elements compete for space within the planter strips between sidewalks and streets. These elements include street trees, stormwater facilities, and streetlights while accommodating appropriate spacing from underground utilities and cross access by pedestrians. For various

reasons, it is not practical to place street trees and streetlights in stormwater swales. To balance these uses, the City recommends that the applicant's plans prioritize street tree and street lighting placement with appropriate spacing from utility laterals and water meters, then placing stormwater facilities where space remains available and placement is desirable. The applicant's plans achieve the desired balance with all street trees placed within the planter strip, with stormwater facilities and other elements located in the remaining space.


Boeckman Creek Trail and Connections

The applicant will construct a portion of the Boeckman Creek Regional Trail along the northern, northwestern, and western boundaries of the property. As noted in the Frog Pond West Master Plan, this trail will run along the western edge of the Frog Pond neighborhood, with access provided via trailheads at the termination of east-west streets in Frog Pond. The Boeckman Creek Regional Trail will be located in Tract A, an open space tract including the SROZ and adjacent areas. The applicant proposes dedication of this tract to the City of Wilsonville. Condition of Approval PDF 6 ensures that the dedication of this tract does not take place until environmental site assessments are completed and provided to the City.

Street Demonstration Plan Compliance

The Street Demonstration Plan (Figure 18 of the Frog Pond West Master Plan), is an illustrative layout of the desired level of connectivity in the Frog Pond West neighborhood. The Street Demonstration Plan is intended to be guiding, not binding, allowing for flexibility provided overall connectivity goals are met. The block size and shape, access, and connectivity of the proposed subdivision complies with Figure 18 of the Frog Pond West Master Plan or is an allowed variation as illustrated below and described in more detail elsewhere in this staff report.

SW Frog Pond Lane is improved on the south side of the subdivision while Street A (Wildflower Street) will be extended on the north side of the subdivision as shown on the Street Demonstration Plan. The proposed modifications do not require out-of-direction pedestrian or vehicular travel nor do they result in greater distances for pedestrian access to the proposed subdivision from the surrounding future streets than would otherwise be the case if the Street Demonstration Plan were adhered to.



Tree Removal and Preservation

There are 154 trees inventoried both on and off-site for the proposed development. Of the 150 on-site trees, 107 trees are proposed for removal with 43 trees preserved. Larger native trees are located within the subject property within the SROZ and will be preserved within Tract A. The trees surveyed off-site will be preserved. The applicant proposes to plant 48 trees and pay the equivalent cost to replant 59 trees into the City Tree Fund meeting the 1:1 mitigation ratio.

Public Comments and Responses:

No public comments were received during the comment period.

Conclusion and Conditions of Approval:

Staff has reviewed the applicant's analysis of compliance with the applicable criteria. The Staff Report adopts the applicant's responses as Findings of Fact except as noted in the Findings. Based on the Findings of Fact and information included in this Staff Report, and information received from a duly advertised public hearing, staff recommends that the Development Review Board recommend approval to City Council or approve, as relevant, the proposed application (DB22-0002) with the following conditions:

Planning Division Conditions:

Request A: Annexation (ANNX22-0001)

This action recommends to the City Council approval of Annexation for the subject properties. The Zone Map Amendment (ZONE22-0002) and all approvals contingent on it are contingent on annexation.

PDA 1. Prior to issuance of any Public Works permits by the City within the annexation area: The developer shall be subject to a Development and Annexation Agreement with the City of Wilsonville as required by the Frog Pond West Master Plan. The developer shall enter into the Development and Annexation Agreement prior to issuance of any public works permits by the City within the annexation area.

Request B: Zone Map Amendment (ZONE22-0002)

This action recommends to the City Council adoption of the Zone Map Amendment for the subject properties. This action is contingent upon annexation of the subject properties to the City of Wilsonville (ANNX22-0001). Case files STG122-0002, STG222-0002, SDR22-0002, SUBD22-0001, TPLN22-0001, and SROZ22-0004 are contingent on City Council action on the Zone Map Amendment request.

No conditions for this request.

Request C: Stage 1 Preliminary Plan (STG122-0002)

Approval of Stage 1 Preliminary Plan (STG122-0002) is contingent on City Council approval of the Zone Map Amendment request (ZONE22-0002).

No conditions for this request

Request D: Stage 2 Final Plan (STG222-0002)

Approval of the Stage 2 Final Plan (STG222-0002) is contingent on City Council approval of the Zone Map Amendment request (ZONE22-0002).

PDD 1. General: The approved Stage 2 Final Plan (Final Plan) shall control the issuance of all building permits and shall restrict the nature, location and design of all uses. The Planning Director through the Class 1 Administrative Review Process may approve minor changes to the Final Plan if such changes are consistent with the purposes and general character of the Final Plan. All other modifications shall be processed in the same manner as the original application and shall be subject to the same procedural requirements. See Finding D4.

PDD 2.	<u>Prior to Final Plat Approval:</u> On the Final Subdivision Plat, public pedestrian and bicycle access easements, including egress and ingress, shall be established across the entirety of all pathways located in private tracts. See Finding D13.
PDD 3.	<u>General:</u> All crosswalks shall be clearly marked with contrasting paint or paving materials (e.g., pavers, light-colored concrete inlay between asphalt, or similar contrast). See Finding D16.
PDD 4.	<u>General:</u> Any area, whether in a garage or in a driveway, counted as a required parking space shall have the minimum dimensions of 9 feet by 18 feet. See Finding D19.
PDD 5.	<u>Prior to Final Plat Approval:</u> A waiver of remonstrance against formation of a local improvement district (LID) shall be recorded in the County Recorder's Office as well as the City's Lien Docket as part of the recordation of the final plat. In light of the developer's obligation to pay an Infrastructure Supplemental Fee and Boeckman Bridge Fee in accordance with the Development and Annexation Agreement required by Condition of Approval PDA 1, the LID Waiver for a specific parcel within the Frog Pond Crossing development shall be released upon official recording of the release of the waiver only after payment of the Infrastructure Supplemental Fee and Boeckman Bridge Fee. Further, the developer shall pay all costs and fees associated with the City's release of the LID Waiver. See Finding D32.
PDD 6.	<u>General:</u> All travel lanes shall be constructed to be capable of carrying a twenty-three (23) ton load. See Finding D28.

Request E: Site Design Review of Parks and Open Space (SDR22-0002)

Approval of Site Design Review of Parks and Open Space (SDR22-0002) is contingent on City Council approval of the Zone Map Amendment request (ZONE22-0002).	
PDE 1.	<u>General:</u> Construction, site development, and landscaping shall be carried out in substantial accord with the Development Review Board approved plans, drawings, sketches, and other documents. Minor revisions may be approved by the Planning Director through administrative review pursuant to Section 4.030. See Finding E3.
PDE 2.	<u>Prior to Final Plat Approval:</u> All landscaping and site furnishings required and approved by the Development Review Board for common tracts shall be installed prior to Final Plat Approval unless security equal to one hundred and ten percent (110%) of the cost of the landscaping as determined by the Planning Director is filed with the City assuring such installation within six (6) months of Final Plat Approval. "Security" is cash, certified check, time certificates of deposit, assignment of a savings account, an irrevocable letter of credit, or such other assurance of completion as shall meet with the approval of the City Attorney. In such cases the developer shall also provide written authorization, to the satisfaction of the City Attorney, for the City or its designees to enter the property and complete the landscaping as approved. If installation of the landscaping is not completed within the six-month period, or within an extension of time authorized by the DRB, the security may be used by the City to complete the installation. Upon completion of

	the installation, any portion of the remaining security deposited with the City will be returned to the applicant/owner. See Finding E13.
PDE 3.	<u>Prior to Final Plat Approval:</u> The applicant shall either (1) enter into a Residential Subdivision Development Compliance Agreement with the City that covers installation of street trees and right-of-way landscaping or (2) install all street trees and other right-of-way landscaping. See Finding E13.
PDE 4.	<u>Ongoing:</u> The approved landscape plan is binding upon the applicant/owner. Substitution of plant materials, irrigation systems, or other aspects of an approved landscape plan shall not be made without official action of the Planning Director or Development Review Board, pursuant to the applicable sections of Wilsonville’s Development Code. See Finding E14.
PDE 5.	<u>Ongoing:</u> All landscaping shall be continually maintained, including necessary watering, weeding, pruning, and replacing, in a substantially similar manner as originally approved by the DRB, unless altered as allowed by Wilsonville’s Development Code. See Findings E15 and E16.
PDE 6.	<p><u>General:</u> The following requirements for planting of shrubs and ground cover shall be met:</p> <ul style="list-style-type: none"> • Non-horticultural plastic sheeting or other impermeable surface shall not be placed under landscaping mulch. • Native topsoil shall be preserved and reused to the extent feasible. • Surface mulch or bark dust shall be fully raked into soil of appropriate depth, sufficient to control erosion, and shall be confined to areas around plantings. • All shrubs shall be well branched and typical of their type as described in current AAN Standards and shall be equal to or better than 2-gallon containers and 10-inch to 12-inch spread. • Shrubs shall reach their designed size for screening within three (3) years of planting. • Ground cover shall be equal to or better than the following depending on the type of plant materials used: gallon containers spaced at 4 feet on center minimum, 4-inch pot spaced 2 feet on center minimum, 2-1/4-inch pots spaced at 18-inch on center minimum. • No bare root planting shall be permitted. • Ground cover shall be sufficient to cover at least 80% of the bare soil in required landscape areas within three (3) years of planting. • Appropriate plant materials shall be installed beneath the canopies of trees and large shrubs to avoid the appearance of bare ground in those locations. • Compost-amended topsoil shall be integrated in all areas to be landscaped, including lawns. See Finding E20.
PDE 7.	<u>General:</u> All trees shall be balled and burlapped and conform in size and grade to “American Standards for Nursery Stock” current edition. See Finding E20.
PDE 8.	<u>Ongoing:</u> Plant materials shall be installed to current industry standards and be properly staked to ensure survival. Plants that die shall be replaced in kind, within

	one growing season, unless appropriate substitute species are approved by the City. See Finding E21.
PDE 9.	<u>Prior to issuance of any Public Works permits:</u> The applicant / owner shall submit information demonstrating compliance with the Public Works Standards and Frog Pond West Master Plan. The street lighting shall be Aurora style streetlights, as Westbrook is no longer approved by PGE. The applicant/owner shall provide a ‘stamped’ engineering plan and supporting information that shows the proposed street light locations meet the appropriate AASHTO lighting standards for all proposed streets. See Finding E24.
PDE 10.	<u>Prior to issuance of any Public Works permits:</u> Construction plans shall omit pedestrian-scale lighting along the Boeckman Creek Regional Trail. See Finding E26.
PDE 11.	<u>Prior to Final Plat Approval:</u> All street signs shall be installed and utilize the City-approved sign cap on street name signs throughout the entirety of the subdivision, matching the design used in the previously approved subdivisions within Frog Pond West. The developers will buy the signs from the City. See Finding E28.

Request F: Tentative Subdivision Plat (SUBD22-0001)

	Approval of the Tentative Subdivision Plat (SUBD22-0001) is contingent on City Council approval of the Zone Map Amendment request (ZONE22-0002).
PDF 1.	<u>Prior to Final Plat Approval:</u> Any necessary easements or dedications shall be identified on the Final Subdivision Plat.
PDF 2.	<u>Prior to Final Plat Approval:</u> The Final Subdivision Plat shall indicate dimensions of all lots, lot area, minimum lot size, easements, proposed lot and block numbers, parks/open space by name and/or type, and any other information that may be required as a result of the hearing process for the Stage 2 Final Plan or the Tentative Plat.
PDF 3.	<u>Prior to Final Plat Approval:</u> Where any street will be extended signs stating “street to be extended in the future” or similar language approved by the City Engineer shall be installed. See Findings D33 and F13.
PDF 4.	<u>Prior to Final Plat Approval:</u> The applicant/owner shall submit for review and approval by the City Attorney CC&R’s, bylaws, etc. related to the maintenance of the open space tracts. Such documents shall assure the long-term protection and maintenance of the open space tracts.
PDF 5.	<u>Prior to Final Plat Approval:</u> For all public pipeline easements, public access easements, and other easements, as required by the city, shown on the Final Subdivision Plat, the applicant/owner and the City shall enter into easement agreements on templates established by the City specifying details of the rights and responsibilities associated with said easements and such agreements will be recorded in the real property records of Clackamas County. See Finding F17.
PDF 6.	<u>Prior to Final Plat Approval:</u> Prior to transfer of Tract A to the City, the applicant/owner shall provide a Phase I Environmental Site Assessment (ESA) addressed to the City. Should the Phase I ESA determine a likelihood of site

contamination, the applicant/owner shall provide a Phase II ESA. At this time, the applicant/owner may either work with the City on a remediation plan, if needed, or provide a public easement for the trail within Tract A and maintain possession of Tract A. See Finding F24.

Request G: Type C Tree Plan (TPLN22-0001)

Approval of the Type C Tree Plan (TPLN22-0001) is contingent on City Council approval of the Zone Map Amendment request (ZONE22-0002).

PDG 1. General: This approval for removal applies only to the 107 trees identified in the applicant's submitted Tree Maintenance and Protection Plan, see Exhibit B2. All other trees on the property shall be maintained unless removal is approved through separate application.

PDG 2. Prior to Grading Permit Issuance: The applicant/owner shall submit an application for a Type C Tree Removal Permit on the Planning Division's Development Permit Application form, together with the applicable fee. In addition to the application form and fee, the applicant/owner shall provide the City's Planning Division an accounting of trees to be removed within the project site, corresponding to the approval of the Development Review Board. The applicant/owner shall not remove any trees from the project site until the tree removal permit, including the final tree removal plan, have been approved by the Planning Division staff. See Finding G19.

PDG 3. Prior to Issuance of Type C Tree Removal Permit Required in Condition of Approval PDG2: The applicant shall pay an amount of \$17,700 (\$300 per tree for 59 trees) into the City's Tree Fund as mitigation for 59 of 107 total trees removed from the site for which insufficient space exists on site and another desirable off-site location is not currently available. See Findings G22 and G24.

PDG 4. Prior to Final Plat Approval: The applicant/owner shall install the required mitigation trees, as shown in the applicant's sheets L2.00-L2.20 per Section 4.620 WC. See Finding G22.

PDG 5. General: The permit grantee or the grantee's successors-in-interest shall cause the replacement trees to be staked, fertilized and mulched, and shall guarantee the trees for two (2) years after the planting date. A "guaranteed" tree that dies or becomes diseased during the two (2) years after planting shall be replaced. See Finding G23.

PDG 6. Prior to Commencing Site Grading: The applicant/owner shall install 6-foot-tall chain-link fencing around the drip line of preserved trees. The fencing shall comply with Wilsonville Public Works Standards Detail Drawing RD-1230. See Finding G25.

Request H: Abbreviated SROZ Map Verification (SROZ22-0004)

Approval of the Abbreviated SROZ Map Verification (SROZ22-0004) is contingent on City Council approval of the Zone Map Amendment request (ZONE22-0002).

No conditions for this request.

The following Conditions of Approval are provided by the Engineering, Natural Resources, or Building Divisions of the City's Community Development Department or Tualatin Valley Fire and Rescue, all of which have authority over development approval. A number of these Conditions of Approval are not related to land use regulations under the authority of the Development Review Board or Planning Director. Only those Conditions of Approval related to criteria in Chapter 4 of Wilsonville Code and the Comprehensive Plan, including but not limited to those related to traffic level of service, site vision clearance, recording of plats, and concurrency, are subject to the Land Use review and appeal process defined in Wilsonville Code and Oregon Revised Statutes and Administrative Rules. Other Conditions of Approval are based on City Code chapters other than Chapter 4, state law, federal law, or other agency rules and regulations. Questions or requests about the applicability, appeal, exemption or non-compliance related to these other Conditions of Approval should be directed to the City Department, Division, or non-City agency with authority over the relevant portion of the development approval.

Engineering Division Conditions:

Request D: Stage 2 Final Plan (STG222-0002)

PFD 1.	Ongoing: Public Works Plans and Public Improvements shall conform to the “Public Works Plan Submittal Requirements and Other Engineering Requirements” in Exhibit C1 and to specifics as found in the Frog Pond West Mater Plan (July 17, 2017).
PFD 2.	General: Streets shall be primarily constructed per the street type and cross-section as show in the Frog Pond West Master Plan.
PFD 3.	Prior to issuance of a Public Works Permit: Applicant shall be required to enter into a Development and Annexation Agreement with the City.
PFD 4.	Prior to Issuance of Public Works Permit: Submit site plans to Engineering showing street improvements including pavement, curb, planter strip, street trees, sidewalk, and driveway approaches along site frontage on SW Frog Pond Lane, and Street A. Street improvements shall be constructed in accordance with the Public Works Standards.
PFD 5.	Prior to Issuance of Public Works Permit: The applicant shall submit design and construction plans showing a minimum of 20 feet of pavement along SW Frog Pond Lane in accordance with Section 201.2.18 of the City Public Works Standards.
PFD 6.	Prior to the Issuance of the Public Works Permit: A final stormwater report shall be submitted for review and approval. The stormwater report shall include information and calculations to demonstrate how the proposed development meets the treatment and flow control requirements. The stormwater report shall also include conveyance calculations to demonstrate that any downstream impacts can be mitigated and demonstrate that any upstream areas can be conveyed through the storm system.
PFD 7.	Prior to the Issuance of the Public Works Permit: The applicant shall obtain an NPDES 1200C permit from the Oregon Department of Environmental Quality and a Local Erosion Control Permit from the City of Wilsonville. All erosion control measures shall be in place prior to starting any construction work, including any demolition work. Permits shall remain active until all construction work is complete and the site has been stabilized. Permits will be closed out when home construction

	is completed and final certificates of occupancy have been issued for all homes in the subdivision.
PFD 8.	<u>With the Public Works Permit:</u> The applicant shall provide to the City a copy of correspondence that plans have been distributed to the franchise utilities. <u>Prior to the issuance of the Public Works Permit:</u> The applicant shall have coordinate the proposed locations and associated infrastructure design for the franchise utilities. Should permanent/construction easement or right-of-way be required to construct or relocate a franchise utility, the applicant shall provide a copy of the recorded documents.
PFD 9.	<u>Prior to final completeness of the Public Works Permit:</u> Submit documentation that the existing on-site septic system was properly decommissioned per the requirements of OAR 340-071-0185.
PFD 10.	<u>Prior to final completeness of the Public Works Permit:</u> Submit documentation that the existing wells serving this property was properly abandoned in accordance with OAR 690-240 and the Water Resources Department requirements.
PFD 11.	<u>Prior to the issuance of the Public Works Permit:</u> The applicant shall submit design and construction plans for the Frog Pond Terrace and the Frog Pond Overlook subdivisions under one permit application as the stormwater disposal and sanitary conveyance to serve this Development is dependent upon the utilities installed as part of Frog Pond Terrace. Alternately, the Frog Pond Terrace improvements must be constructed, inspected and accepted by the City prior to connection for the Frog Pond Overlook subdivision.
PFD 12.	<u>Prior to the Issuance of the Public Works Permit:</u> The applicant shall submit design and construction plans including the Boeckman Creek Trail with signage. The trail cross-section shall be compliant with Figure 32 of the Frog Pond West Master Plan and designed in conformance with the City Public Works Standards. The applicant shall be credited for costs of design and construction of the Boeckman Creek Trail and associated amenities through the Parks SDC credits as provided in the Development and Annexation Agreement.

Request F: Tentative Subdivision Plat (SUBD22-0001)

	The following conditions are in addition to the dedications and easements shown on the Tentative Subdivision Plat
PFF 1.	<u>Prior to Final Plat Approval:</u> Show dedication of a 9.5-foot right-of-way along SW Frog Pond Lane Street right-of-way frontage.
PFF 2.	<u>Prior to Final Plat Approval:</u> Show dedication of a 6-foot public utility easement along the SW Frog Pond Lane and Street A right-of-way frontages.
PFF 3.	<u>Prior to Final Plat Approval:</u> All public infrastructure improvements including but not limited to street, stormwater drainage, water quality and flow control, sanitary sewer, and water facilities shall be substantially complete with approval from the Community Development Director pursuant to Section 4.220 of the Development Code.

Natural Resources Division Conditions:

All Requests

NR 1. Natural Resource Division Requirements and Advisories listed in Exhibit C2 apply to the proposed development.
--

Building Division Conditions:

All Requests

BD1. <u>Prior to Construction of the Subdivision’s Residential Homes:</u> Designated through approved planning procedures, the following conditions must be met and approved through the Building Official: <ul style="list-style-type: none">a. Street signs shall be installed at each street intersection and approved per the public works design specifications and their required approvals.b. All public access roads and alleys shall be complete for access to the residential home sites.c. All public and service utilities to the private building lots must be installed, tested and approved by the City of Wilsonville’s Engineering/Public Works Department or other service utility designee.d. All required fire hydrants and the supporting piping system shall be installed, tested, and approved by the Fire Code Official prior to model home construction. (OFC 507.5).

BD2. <u>Prior to Occupancy:</u> New and existing buildings shall have approved address labels. Building numbers or approved building identification shall be placed in a position that is plainly legible and visible from the street or road fronting the property, including monument signs. These numbers shall contrast with their background. Numbers shall be a minimum of 4 inches high with a minimum stroke width of 1/2 inch. (OFC 505.1) Where vehicle access is from a private drive or alley, provide a physical address on the new home, as well as near the intersection of the private drive and public road. The address must be visible from any approaches by a monument, pole or other sign used to identify the structure. (ORSC R319)

BD3. <u>Prior to Demolition of Structures:</u> <ul style="list-style-type: none">a. Photos must be taken of any structures on the site that are to be demolished. Photos must be a clear resolution (when printed, a minimum resolution of 300 dpi or greater) and should include a representative sample of the exterior of the structure from each direction. A demolition permit must be obtained from the Building Division and photos must be submitted with the demolition permit application. (Wilsonville Code 9.270)b. An NPDES 1200-C permit must be obtained from DEQ with a copy provided to the City.

Master Exhibit List:

The entry of the following exhibits into the public record by the Development Review Board confirms its consideration of the application as submitted. The exhibit list below includes exhibits for Planning Case File DB22-0002. The exhibit list below reflects the electronic record posted on the City's website and retained as part of the City's permanent electronic record. Any inconsistencies between printed or other electronic versions of the same Exhibits are inadvertent and the version on the City's website and retained as part of the City's permanent electronic record shall be controlling for all purposes.

Planning Staff Materials

- A1. Staff report and findings (this document)
- A2. Staff's Presentation Slides for Public Hearing (to be presented at Public Hearing)

Materials from Applicant

- B1. Applicant's Narrative and Materials – Available Under Separate Cover**
 - Land Use Application Forms
 - Land Use Narrative
 - Appendix A: Annexation and Zone Change Legal Descriptions and Exhibits
 - Appendix B: Preliminary Stormwater Report
 - Appendix C: Transportation Evaluation Memorandum
 - Appendix D: Significant Resource Impact Report
 - Appendix E: Arborist Report and Tree Plan
 - Appendix F: Geotechnical Report
 - Appendix G: Stafford Meadows PUD Recorded CC&Rs and Bylaws
 - Appendix H: Example Building Elevations
 - Appendix I: Republic Services Service Provider Letter
 - Appendix J: TVF&R Service Provider Letter
- B2. Full Size Drawings and Plans – Available Under Separate Cover**
 - P0.00 Cover Sheet
 - P1.00 Existing Conditions - Aerial
 - P1.10 Existing Conditions – Survey Mapping
 - P2.00 Preliminary Site Plan
 - P2.10 Preliminary Street Cross Sections
 - P3.00 Preliminary Plat
 - P4.00 Preliminary Utility Plan
 - P5.00 Preliminary Grading Plan
 - P6.00 Annexation Plan
 - P7.00 Zoning Map
 - P8.00 Proposed Circulation and Connectivity
 - P9.00 Shadow Plat Street Layout
 - P10.00 Subdistricts and Density

P11.00 Sight Lines to Boeckman Creek Corridor

L1.00 Tree Protection-Removal Plan

L1.10 Tree Inventory

L2.00 Overall Landscape Plans

L2.10 Tract Landscape Plans

L2.20 Raingarden and LIDA Planting Plans

L3.00 Landscape Notes and Details

IL-1 Illumination Notes

IL-2 Illumination Details

IL-3 Illumination Details

IL-4 Illumination Plan

B3. Incompleteness Response Letter Dated May 24, 2022

B4. Memorandum from Applicant Regarding Tree Removal, Replacement and Mitigation
Dated August 17, 2022

Development Review Team Correspondence

C1. Public Works Plan Submittal Requirements and Other Engineering Requirements

C2. Natural Resources Requirements

Procedural Statements and Background Information:

1. The statutory 120-day time limit applies to this application. The applicant first submitted the application on March 10, 2022. Staff conducted a completeness review within the statutorily allowed 30-day review period and found the application to be incomplete on April 11, 2022. The applicant submitted additional material on May 25, 2022. Staff conducted a completeness review within the statutorily allowed 30-day review period and deemed the application complete on June 19, 2022. The City must render a final decision for the request, including any appeals, by October 17, 2022.
2. Surrounding land uses are as follows:

Compass Direction	Zone:	Existing Use:
North	RRFF-5	Rural Residential/Agriculture (Clackamas County)
East	RRFF-5	Rural Residential/Agriculture (Clackamas County)
South	RRFF-5	Rural Residential/Agriculture (Clackamas County)
West	RRFF-5	Rural Residential/Agriculture (Clackamas County)

3. Previous City Planning Approvals: None
4. The applicant has complied with Sections 4.013-4.031 of the Wilsonville Code, said sections pertaining to review procedures and submittal requirements. The required public notices have been sent and all proper notification procedures have been satisfied.

Findings:

NOTE: Pursuant to Section 4.014 the burden of proving that the necessary findings of fact can be made for approval of any land use or development application rests with the applicant in the case.

General Information

Application Procedures-In General

Section 4.008

The City's processing of the application is in accordance with the applicable general procedures of this Section.

Initiating Application

Section 4.009

The owners of all property included in the application signed the application forms. West Hills Land Development LLC initiated the application with their approval.

Pre-Application Conference

Subsection 4.010 (.02)

Following a request from the applicant, the City held a pre-application conference for the proposal on September 16, 2021 (PA21-0021), in accordance with this subsection.

Lien Payment before Approval

Subsection 4.011 (.02) B.

No applicable liens exist for the subject property. The application can thus move forward.

General Submission Requirements

Subsection 4.035 (.04) A.

The applicant has provided all of the applicable general submission requirements contained in this subsection.

Zoning-Generally

Section 4.110

This proposed development is in conformity with the applicable zoning district and general development regulations listed in Sections 4.150 through 4.199, applied in accordance with this Section.

Request A: Annexation (ANNX22-0001)

As described in the Findings below, the request meets the applicable criteria or will by Conditions of Approval.

Comprehensive Plan-Annexation and Boundary Changes

Consistent with Future Planned Public Services
Implementation Measure 2.2.1.a.

A1. The Frog Pond West Master Plan establishes the future planned public services and funding plan for the subject property. The development of public services and funding will be consistent with the Frog Pond West Master Plan thus allowing the annexation to proceed. West Hills Land Development LLC and the City will enter into a Development and Annexation Agreement detailing provision and development of public services as required by Conditions of Approval.

Demonstrated Need for Immediate Urban Growth
Implementation Measure 2.2.1.a.

A2. Metro brought the subject area into the Urban Growth Boundary (UGB) in 2002 to meet demonstrated regional housing needs. With adoption for the Frog Pond West Master Plan the subject area is now primed for development to help meet regional housing needs.

Adherence to State and Metro Annexation Laws and Standards
Implementation Measure 2.2.1.e.

A3. This review applies all applicable Metro and State rules, regulations, and statutes as seen in findings below.

Orderly, Economic Provision of Public Facilities and Services
Implementation Measure 2.2.1.e. 1.

A4. The Frog Pond Area Plan includes implementation measures to ensure the orderly and economic provision of public facilities and services for the Frog Pond Area, including Frog Pond West. The applicant proposes site development with concurrent applications for Stage 1 and Stage 2 Planned Unit Development and Land Division, which proposes the extension of public facilities and services to the Frog Pond Terrace site. These proposed services are generally consistent with the Frog Pond Area Plan and Frog Pond West Master Plan, and the City's Finance Plan and Capital Improvements Plan.

Availability of Sufficient Land for Uses to Insure Choices over 3-5 Years
Implementation Measure 2.2.1.e. 2.

A5. The inclusion of the Frog Pond area within the UGB and the adoption of the Frog Pond Area Plan demonstrate the need for residential development in the Frog Pond area. Annexation of the subject site will allow development of the uses envisioned by the adopted Frog Pond West Master Plan.

Wilsonville Development Code-Annexation

Authority to Review Quasi-Judicial Annexation Requests

Subsections 4.030 (.01) A, 11, 4.031 (.01) K, 4.033 (.01) F., and 4.700 (.02)

- A6.** The review of the quasi-judicial annexation request by DRB and City Council is consistent with the authority established in the Development Code.

Procedure for Review, Etc.

Subsections 4.700 (.01). and (.04)

- A7.** The submission materials from the applicant include an annexation petition signed by the necessary parties, a legal description and map of the land to be annexed, and a narrative describing conformance with applicable criteria. City Council, upon recommendation from the DRB, will declare the subject property annexed.

Adoption of Development Agreement with Annexation

Subsection 4.700 (.05)

- A8.** Subject to requirements in this subsection and the Frog Pond West Master Plan, Conditions of Approval require the necessary parties enter into a Development and Annexation Agreement with the City covering the annexed land.

Metro Code

Local Government Boundary Changes

Chapter 3.09

- A9.** The request is within the UGB, meets the definition of a minor boundary change, satisfies the requirements for boundary change petitions, and is consistent with both the Comprehensive Plan and the Frog Pond West Master Plan.

Oregon Revised Statutes (ORS)

Authority and Procedure for Annexation

ORS 222.111

- A10.** The request meets the applicable requirements in State statute including the facts that the subject property is within the UGB and is contiguous to the City, the request has been initiated by the property owners of the land being annexed, and there are no electors residing within the area to be annexed.

Procedure Without Election by City Electors

ORS 222.120

- A11.** The City charter does not require elections for annexation, the City is following a public hearing process defined in the Development Code, and the request meets the applicable requirements in State statute including the facts that all property owners within the annexed area consent in writing to the annexation. No electors reside within the territory

proposed for annexation. Annexation of the subject property thus does not require an election.

Annexation by Consent of All Owners and Majority of Electors ORS 222.125

A12. All property owners within the annexed area have provided their consent in writing. No electors reside within the territory proposed for annexation. However, the City is following a public hearing process as prescribed in the City's Development Code concurrent with a Zone Map Amendment request and other quasi-judicial land use applications.

Oregon Statewide Planning Goals

Planning Goals – Generally Goals 1, 2, 5, 6, 8, 9, 11, 12, 13, 14

A13. The area proposed for annexation will be developed consistent with the City's Comprehensive Plan and the Frog Pond West Master Plan, both of which have been found to meet the Statewide Planning Goals.

Housing Goal 10

A14. The proposed Comprehensive Plan map amendments will continue to allow the City to meet its housing goals and obligations reflected in the Comprehensive Plan. Specifically:

- The City has an existing Housing Needs Analysis and Buildable Lands Inventory adopted in 2014 collectively known as the Wilsonville Residential Land Study. The key conclusions of this study are that Wilsonville: (1) may not have a 20-year supply of residential land and (2) the City's residential policies meet Statewide Planning Goal 10 requirements.
- Under the Metro forecast, Wilsonville is very close to having enough residential land to accommodate expected growth. Wilsonville could run out of residential land by 2032.
- If Wilsonville grows faster than the Metro forecast, based on historic City growth rates, the City will run out of residential land before 2030.
- Getting residential land ready for development is a complex process that involves decisions by Metro, City decision makers, landowners, the Wilsonville community, and others. The City has started the master planning process for Frog Pond East and South neighborhoods to ensure that additional residential land is available within the City. The City also adopted a new plan and development standards for more multi-family units in the Wilsonville Town Center. Finally, the City provides infill opportunities, allowing properties with existing development at more rural densities to be re-zoned for more housing, which this application falls under.

- Wilsonville is meeting Statewide Planning Goal 10 requirements to “provide the opportunity for at least 50 percent of new residential units to be attached single family housing or multiple family housing” and to “provide for an overall density of 8 or more dwelling units per net buildable acre.”
- Wilsonville uses a two-map system, with a Comprehensive Plan Map designating a density for all residential land and Zone Map with zoning to implement the Comprehensive Plan designation. Rezoning the subject property to a higher density zone consistent with the Comprehensive Plan will ensure related Zone Map Amendment and development approvals support the Comprehensive Plan and Goal 10.
- The proposal increases density allowed and development capacity within the existing urban growth boundary and improving the capacity identified in the 2014 study. The type of housing is anticipated to be single-family; however, the approval will allow middle housing consistent with House Bill 2001 and newly implemented City code to allow middle housing types.
- The proposal directly impacts approximately 0.8% of the developable residential land identified in the 2014 Wilsonville Residential Land Study (approximately 10.9 of 477 acres).

Request B: Zone Map Amendment (ZONE22-0002)

As described in the Findings below, the request meets the applicable criteria or will by Conditions of Approval.

Comprehensive Plan

“Residential Neighborhood” on Comprehensive Plan Map, Purpose of “Residential Neighborhood” Designation
Policy 4.1.7.a.

B1. The subject area has a Comprehensive Plan Map Designation of “Residential Neighborhood”. The designation enables development of the site consistent with the purpose of this designation as set forth in the legislatively adopted Frog Pond West Master Plan, resulting in an attractive, cohesive and connected residential neighborhood with high quality architecture and community design, transportation choices, and preserved and enhanced natural resources.

“Residential Neighborhood” Zone Applied Consistent with Comprehensive Plan
Implementation Measure 4.1.7.c.

B2. The applicant requests the subject area receive the zoning designation of Residential Neighborhood (RN) as required for areas with the Comprehensive Plan Map Designation of “Residential Neighborhood”.

Safe, Convenient, Healthful, and Attractive Places to Live
Implementation Measure 4.1.4.c.

- B3.** The proposed RN zoning allows the use of planned developments consistent with the legislatively adopted Frog Pond West Master Plan, enabling development of safe, convenient, healthful, and attractive places to live.

Residential Density
Implementation Measure 4.1.4.u.

- B4.** The subject area will be zoned RN allowing application of the adopted residential densities of the Frog Pond West Master Plan. The sub-districts established in the Frog Pond West Master Plan govern the allowed residential densities. See also Request C, Stage 1 Preliminary Plan.

Development Code

Zoning Consistent with Comprehensive Plan
Section 4.029

- B5.** The applicant requests a zone change concurrently with a Stage 1 Preliminary Plan, Stage 2 Final Plan, and other related development approvals. The proposed zoning designation of RN is consistent with the Comprehensive Plan “Residential Neighborhood” designation. See also Finding B2 above.

Base Zones
Subsection 4.110 (.01)

- B6.** The requested zoning designation of RN is among the base zones identified in this subsection.

Residential Neighborhood (RN) Zone

Purpose of the Residential Neighborhood (RN) Zone
Subsection 4.127 (.01)

- B7.** The request to apply the RN Zone on lands designated “Residential Neighborhood” on the Comprehensive Plan Map enables a planned development process implementing the “Residential Neighborhood” policies and implementation measures of the Comprehensive Plan and the Frog Pond West Master Plan.

Permitted Uses in the Residential Neighborhood (RN) Zone
Subsection 4.127 (.02)

- B8.** Concurrent with the Zone Map Amendment request the applicant requests approval of a 12-lot residential subdivision. Single-family dwelling units, Duplex, Triplex, Quadplex, Cluster Housing, Cohousing, Cluster Housing (Frog Pond West Master Plan), open space, and public and private parks are among the permitted uses in the RN Zone.

Residential Neighborhood (RN) Zone Sub-districts and Residential Density
Subsection 4.127 (.05) and (.06)

- B9.** The proposed uses, number of lots, preservation of open space, and general block and street layout are generally consistent with the Frog Pond West Master Plan. Specifically in regards to residential land use lot count, the proposed Stage 1 area includes a portion of large lot Sub-district 8. A full discussion of compliance with the sub-districts and residential density is included under Request C, Stage 1 Preliminary Plan.

Request C: Stage 1 Preliminary Plan (STG122-0002)

As described in the Findings below, the request meets the applicable criteria or will by Conditions of Approval.

Comprehensive Plan

City Supports Development of Land within City Consistent with Land Use Designation
Goal 2.1, Policy 2.1.1., Implementation Measure 2.1.1.a., Policy 2.2.1.

- C1.** The City's Comprehensive Plan, Frog Pond Area Plan, and Frog Pond West Master Plan designate the subject property for residential use. The Frog Pond West Master Plan specifically identifies procedures for development of the subject and surrounding land, thus supporting its development for residential lots so long as proposed development meets applicable policies and standards.

Urbanization for Adequate Housing for Workers Employed in Wilsonville, Jobs and Housing Balance

Implementation Measures 2.1.1.b., 4.1.4.l., 4.1.4.p.

- C2.** The proposal provides for urbanization of an area planned for residential use to provide additional housing within the City available to workers employed within the City. However, no special provisions or programs target the units to workers employed within the City.

Encouraging Master Planning of Large Areas

Implementation Measure 2.1.1.f.2.

- C3.** The proposed development is part of a larger area covered by the Frog Pond West Master Plan consistent with the City's policies and encouragement related to master planning.

City Obligated to do its Fair Share to Increase Development Capacity within UGB

Implementation Measure 2.2.1.b.

- C4.** The property is within the urban growth boundary and available for use consistent with its residential designation. Allowing development of the property for additional residential lots supports the further urbanization and increased capacity of residential land within the UGB.

Urban Development Only Where Necessary Facilities can be Provided
Implementation Measure 3.1.2.a.

- C5. As can be found in the findings for the Stage 2 Final Plan, the proposed development provides all necessary facilities and services consistent with the Frog Pond West Master Plan.

Provision of Usable Open Space
Implementation Measures 3.1.11.p., 4.1.5.kk.

- C6. The proposal is located within a large-lot sub district and does not require usable open space. While not specifically required per the Frog Pond Master Plan, the applicant proposes open space Tract A that contains a portion of the Boeckman Creek Trail and two adjacent landscaped open space areas.

Consistency with Street Demonstration Plans May Be Required
Implementation Measure 3.2.2.

- C7. Section 4.127 requires the area subject to the Stage 1 Preliminary Plan be consistent with the street demonstration plan in Figure 18 of the Frog Pond West Master Plan. The proposed street layout is generally consistent with the street demonstration plan with variations as noted in Finding D11.

Wide Range of Housing Choices, Planning for a Variety of Housing
Policy 4.1.4., Implementation Measures 4.1.4.b., 4.1.4.c., 4.1.4.d., 4.1.4.j., 4.1.4.o.

- C8. The Frog Pond Area Plan and the Frog Pond West Master Plan identify a variety of single-family homes and middle housing as the appropriate housing types for the subject area as part of the broader mix of housing in Wilsonville.

Accommodating Housing Needs of Existing Residents
Implementation Measure 4.1.4.f.

- C9. The applicant intends to provide a housing product attractive to existing residents of the City as a whole, including current homeowners and current renters looking to purchase in a medium to high price range, similar to other nearby homes. The applicant proposes large-sized lots to accommodate detached dwelling units. Within the Residential Neighborhood zone a variety of middle housing types is also permitted.

Planned Development Regulations

Planned Development Lot Qualifications
Subsection 4.140 (.02)

- C10. The planned 12-lot subdivision will accommodate residential building lots, provide functional public streets, and be surrounded by open space and recreational opportunities consistent with the purpose of Section 4.140. The proposed subdivision is 3.96 acres and is suitable for planning and development. The property is not currently nor is it proposed to be

zoned “PD” (Planned Development). Concurrently with the request for a Stage 1 Preliminary Plan, the applicant proposes to rezone the property to RN (Residential Neighborhood). Pursuant to the Frog Pond West Master Plan development in the RN zone follows the same planned development procedure as PDR zones.

Ownership Requirements

Subsection 4.140 (.03)

C11. The owners of the subject property have signed an application form included with the application.

Professional Design Team

Subsection 4.140 (.04)

C12. Li Alligood, AICP, of Otak is the coordinator of a professional design team with all the necessary disciplines including engineers, a landscape architect, and a planner, among other professionals.

Planned Development Application Requirements

Subsection 4.140 (.07)

C13. Review of the proposed Stage 1 Preliminary Plan has been scheduled for a public hearing before the DRB in accordance with this subsection and the applicant has met all the applicable submission requirements as follows:

- The property affected by the Stage 1 Preliminary Plan is under an application by the property owners.
- The applicant submitted a Stage 1 Preliminary Plan request on a form prescribed by the City.
- The applicant identified a professional design team and coordinator. See Finding C12.
- The applicant has stated the uses involved in the Stage 1 Preliminary Plan and their locations.
- The applicant provided boundary information.
- The applicant has submitted sufficient topographic information.
- The applicant provided a tabulation of the land area to be devoted to various uses.
- Any necessary performance bonds will be required.

Standards for Residential Development in Any Zone

Outdoor Recreational Area and Open Space Land Area Requirements

Subsection 4.113 (.01)

C14. The Frog Pond West Master Plan controls outdoor recreational area and open spaces for the subject and surrounding areas. The subject property contains land within the R-10 large lot sub-district. This sub-district does not require outdoor recreational area and open space, therefore this subsection does not apply. However, the proposed development contains Tract A that includes a portion of the Boeckman Creek Trail and two adjacent non-required open space areas.

Residential Neighborhood Zone

Permitted Uses

Subsection 4.127 (.02)

C15. The applicant proposes residential lots and open spaces, which are or will accommodate allowed uses in the RN Zone.

Residential Neighborhood Sub-districts

Subsection 4.127 (.05)

C16. The proposed Stage 1 Preliminary Plan area includes a portion of large lot Sub-district 8.

Minimum and Maximum Residential Lots

Subsection 4.127 (.06)

C17. The proposed number of residential lots, preservation of open space, and general block and street layout are generally consistent with the Frog Pond West Master Plan. Specifically in regards to residential lot count, the proposed Stage 1 area includes a portion of large lot Sub-district 8. The following table summarizes how the proposed residential lots in each Sub-district are consistent with the Master Plan recommendations. The applicant proposes 12 lots in Sub-district 8, which is one (1) lot greater than the maximum proportional density calculation for the site.

Subdistrict and Land Use Designation	Gross Site Area (ac)	Percent of Sub-district	Established lot range for Sub-district	Lot Range for Site	Proposed Lots	Total lots within Sub-district - Approved and Proposed
8 – R-10	3.96	20.7%	43-53	9-11	12	25 Approved 12 Proposed 37 Total

The proportional density allocation does not account for site-specific characteristics that influence the ability of a specific property to accommodate residential lots meeting minimum dimensional standards. The portion of the subject property within Sub-district 8 that is not dedicated as right-of-way (82.5%) is much greater than in other subareas. Minimal right-of-way dedication is required because the section of SW Frog Pond Lane adjacent to the site is a local street, which allows driveway access and the layout of Street A has been designed to accommodate the Boeckman Creek Trail on the western portion of the property resulting in the reduction of anticipated right-of-way dedication. As a result of the minimal right-of-way dedication it is possible to for the site to easily accommodate 12 lots, one (1) greater than the maximum density, while meeting minimum lot size standards. The configuration of lots as proposed will allow for buildout of the sub-district consistent with the Master Plan recommendations.

Parks and Open Space beyond Master Planned Parks
Subsection 4.127 (.09) B.

C18. The proposed Stage 1 Preliminary Plan only includes land within the R-10 large lot sub-district. Properties within these sub-districts are exempt from the requirements of this section.

Request D: Stage 2 Final Plan (STG222-0002)

As described in the Findings below, the request meets the applicable criteria or will by Conditions of Approval.

Stage 2 Final Plan Submission Requirements and Process

Consistency with Comprehensive Plan and Other Plans
Subsection 4.140 (.09) J. 1.

D1. As demonstrated in Findings C1 through C9 under the Stage 1 Preliminary Plan the project is consistent with the Comprehensive Plan. This review includes review for consistency with the Frog Pond West Master Plan.

Traffic Concurrency
Subsection 4.140 (.09) J. 2.

D2. The Traffic Impact Analysis (see Exhibit B1) performed by the City’s consultant, DKS Associates, identifies the most probable used intersection for evaluation as:

- SW Stafford Road/SW Brisband Street
- SW Boeckman Road/SW Willow Creek Drive
- SW Stafford Road/SW Frog Pond Lane

The intersections listed above were selected for analysis as they are the most impacted by the increase in vehicle trips from the development and are the gateways to the Frog Pond West area. Other study intersections, such as SW Stafford Road/SW 65th Avenue and SW Canyon Creek Road/SW Boeckman Road, were not included in this analysis as the trips through those intersections would be insignificant (around 5 peak hour trips). Additionally, the SW Stafford Road/SW 65th Avenue intersection was not included as it was found to already fail to meet County standards under existing 2021 conditions, as noted in the Frog Pond Crossing TIA and Frog Pond Vista TIA. As noted in both of those reports, an intersection improvement has already been identified in the County’s Capital Improvement Project List.

The study intersection meets the City of Wilsonville’s operating standard for the existing conditions. The intersection will continue to perform at Level of Service D or better with the proposed project and thus meets City standards.

Facilities and Services Concurrency
Subsection 4.140 (.09) J. 3.

- D3.** The applicant proposes sufficient facilities and services, including utilities, concurrent with development of the residential subdivision.

Adherence to Approved Plans
Subsection 4.140 (.09) L.

- D4.** Conditions of Approval ensure adherence to approved plans except for minor revisions approved by the Planning Director.

General Residential Development Standards

Effects of Compliance Requirements and Conditions on Cost of Needed Housing
Subsection 4.113 (.13)

- D5.** No parties have presented evidence nor has staff discovered evidence that provisions of this section are such that additional conditions, either singularly or cumulatively, have the effect of unnecessarily increasing the cost of housing or effectively excluding a needed housing type.

Underground Utilities Required
Subsection 4.118 (.02) and Sections 4.300 to 4.320

- D6.** The applicant proposes installation of all new utilities underground. The applicant will underground all existing utility lines facing the subject property.

Habitat Friendly Development Practices to be Used to the Extent Practicable
Subsection 4.118 (.09)

- D7.** The applicant has designed the project to minimize grading to only what is required to install site improvements and build homes. The applicant has designed, and will construct, water, sewer, and stormwater infrastructure in accordance with the applicable City requirements in order to minimize adverse impacts on the site, adjacent properties, and surrounding resources. The project avoids impacts to Boeckman Creek, which is within the Significant Resource Overlay Zone (SROZ). The applicant has included the Abbreviated Significant Resource Impact Report in Exhibit B1.

Residential Neighborhood (RN) Zone

General Lot Development Standards
Subsection 4.127 (.08) Table 2.

- D8.** The applicant proposes lots reviewed for consistency with applicable development code standards and the Frog Pond West Master Plan. The proposed lots meet or exceed the standards of Table 2, or the applicant can meet or exceed the standards with final design, as follows:

Standard	R-10 Large Lot Sub-district 8		Compliance Notes
	Required	Proposed	
Min. Lot Size	8,000 sf	8,007-10,078 sf	Standard is met.
Min. Lot Depth	60 ft	71+ ft	Standard is met.
Min. Lot Width	40 ft	64+ ft	Standard is met.
Max. Lot Coverage	40%	40% max	Standard can be met.
Max. Bldg Height	35 ft	35 ft max	Standard can be met. Per applicant's materials, houses will be max 35 ft height.
Min. Front Setback	20 ft	20 ft min	Standard can be met.
Min. Rear Setback	20 ft	20 ft min	Standard can be met.
Min. Side Setback	5 feet (10 feet for corner lots)	5 ft min (10 ft min on corner lots)	Standard can be met.
Min. Garage Setback from Alley	18 ft	18 ft. min	Standard can be met.
Min. Garage Setback from Street	20 ft	20 ft min	Standard can be met.

Frog Pond West-Specific Lot Development Standards
Subsection 4.127 (.08) C. and D.

D9. The proposed lots meet standards specific to Frog Pond West, or the applicant can meet or the standards with final design, as follows:

Standard				Compliance Notes
Small-lot Subdistricts (include at least one element)	Sufficient Information Provided to Determine Compliance	Compliance to be Determined at Building Permit Review	N/A	Subject property does not contain land within the small-lot subdistrict.
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Wall and landscaping for lots adjacent to Stafford and Boeckman Road	Provided	Not Provided	N/A	The subject property does not abut Stafford or Boeckman Road.
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

No driveway access to collectors for small and medium lots	Met	Not Met	N/A		Subject property does not include collectors.
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		

Open Space Requirements
Subsection 4.127 (.09)

D10. As stated in Finding C18 (Subsection 4.127 (.09) B.), the R-10 sub-district involved in the proposal is exempt from open space requirements.

Block, Access, and Connectivity Consistent with Frog Pond West Neighborhood Plan
Subsection 4.127 (.10) and Figure 18. Frog Pond West Master Plan

D11. The Street Demonstration Plan is an illustrative layout of the desired level of connectivity in the Frog Pond West neighborhood and is intended to be guiding, not binding, allowing for flexibility provided that overall connectivity goals are met. The block size and shape, access, and connectivity of the proposed subdivision complies with Figure 18 of the Frog Pond West Master Plan or is an allowed variation as follows:

Street Segment	Generally Consistent with Figure 18	Allowed Variation	Explanation of Variation
SW Frog Pond Lane	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Street A	<input type="checkbox"/>	<input checked="" type="checkbox"/>	See explanation below.

SW Frog Pond Lane is extended west on the south side of the subdivision as shown on the Street Demonstration. Street A is extended west from the eastern extent of the site into the proposed development, curving southwest sooner than is shown in the street demonstration plan. This allows the Boeckman Creek Trail to extend separately from the street and Street A to intersect with SW Frog Pond Lane at the southern property boundary. The proposed modifications do not require out-of-direction pedestrian or vehicular travel nor do they result in greater distances for pedestrian access to the proposed subdivision from the surrounding future streets than would otherwise be the case if the Street Demonstration Plan were adhered to.

Main Entrance, Garage, Residential Design, and Building Orientation Standards
Subsections 4.127 (.14-.18)

D12. The proposed subdivision provides lots of sufficient size and of a typical orientation to meet the RN zone design standards, or the applicant can meet the standards at the time of building permit review, as follows:

Standard			Compliance Notes
Main Entrance Standards	Sufficient Information Provided to Determine Compliance	Compliance to be Determined at Building Permit Review	Standard can be met.
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Garage Width Standards	Sufficient Information Provided to Determine Compliance	Compliance to be Determined at Building Permit Review	Standard can be met. Subdivision includes a mix of lots greater and less than 50 feet at the front lot line.
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Garage Orientation Towards Alley or Shared Driveway	Alleys or Shared Driveways in Subdivision	No Alleys or Shared Driveways in Subdivision	Not applicable.
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Residential Design Standards	Sufficient Information Provided to Determine Compliance	Compliance to be Determined at Building Permit Review	Standard can be met.
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Small-Lot Subdistricts – House Plan Variety	Required Duplex/Attached Units	Provided Duplex/Attached Units	Not applicable. Not within small lot sub-district.
	N/A	N/A	
Fences	Sufficient Information Provided to Determine Compliance	Compliance to be Determined at Building Permit Review	Standard can be met.
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Homes Adjacent to School and Parks and Public Open Spaces	Sufficient Information Provided to Determine Compliance	Compliance to be Determined at Building Permit Review	Lot 4 faces an open space tract and Lots 7-9 and 12 are adjacent to private open space.
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

On-site Pedestrian Access and Circulation

Continuous Pathway System

Section 4.154 (.01) B. 1.

D13. The submitted plans show sidewalks along the frontages of all lots providing a continuous pathway system throughout the proposed subdivision. In addition to the sidewalk system,

pedestrian/bicycle connections are proposed through Tract A. These additional connections are consistent with Figure 18 of the Frog Pond West Master Plan. The proposal also enables connections to future adjacent development. To ensure full access and function of the planned pathway system for the public, Condition of Approval PDD 2 requires public access easements across all pathways within private tracts.

Safe, Direct, and Convenient

Section 4.154 (.01) B. 2.

D14. The submitted plans show sidewalks and pathways providing safe, direct, and convenient connections consistent with Figure 18 of the Frog Pond West Master Plan.

Vehicle/Pathway Separation

Section 4.154 (.01) B. 3.

D15. The proposed design vertically and or horizontally separates all sidewalks and pathways from vehicle travel lanes except for driveways and crosswalks.

Crosswalks Delineation

Section 4.154 (.01) B. 4.

D16. A condition of approval requires all crosswalks shall be clearly marked with contrasting paint or paving materials (e.g., pavers, light-colored concrete inlay between asphalt, or similar contrast).

Pathway Width and Surface

Section 4.154 (.01) B. 5.

D17. The applicant proposes all pathways to be concrete, asphalt brick/masonry pavers, or other durable surface, and at least 5 feet wide, meeting or exceeding the requirement.

Parking Area Design Standards

Minimum and Maximum Parking

Subsection 4.155 (.03) G.

D18. Each dwelling unit requires one parking space. Between garages and driveways, each home will have at least two parking spaces.

Other Parking Area Design Standards

Subsections 4.155 (.02) and (.03)

D19. The applicable standards are met as follows:

Standard	Met	Explanation
Subsection 4.155 (.02) General Standards		
B. All spaces accessible and usable for parking	☒	Though final design of garages and driveways is not part of current review they are anticipated to meet minimum dimensional standards to be

		considered a parking space as well as fully accessible. A condition of approval requires the dimensional standards to be met.
I. Surfaced with asphalt, concrete or other approved material	<input checked="" type="checkbox"/>	Garages and driveways will be surfaced with concrete.
Drainage meeting City standards	<input checked="" type="checkbox"/>	Drainage is professionally designed and being reviewed to meet City standards.
Subsection 4.155 (.03) General Standards		
A. Access and maneuvering areas adequate	<input checked="" type="checkbox"/>	Parking areas will be typical residential design adequate to maneuver vehicles and serve needs of homes.
A.2. To the greatest extent possible, vehicle and pedestrian traffic separated	<input checked="" type="checkbox"/>	Pursuant to Section 4.154, pedestrian circulation is separate from vehicle circulation by vertical separation except at driveways and crosswalks.

Other General Regulations

Access, Ingress and Egress
 Subsection 4.167 (.01)

D20. Planned access points are typical of local residential streets. The City will approve final access points for individual driveways at the time of issuance of building permits.

Protection of Natural Features and Other Resources

General Terrain Preparation
 Section 4.171 (.02)

D21. The site has been planned and designed to avoid the natural features on the site, including tree groves, the SROZ, and the Boeckman Creek corridor. Grading, filling, and excavating will be conducted in accordance with the Uniform Building code. The site will be protected with erosion control measures and the creek corridor will be staked prior to commencement of site work to avoid damage to vegetation or injury to habitat. The removal of trees is necessary for site development, but replacement trees will be planted per the provisions of this code.

Trees and Wooded Areas
 Section 4.171 (.04)

D22. Existing vegetation will not be disturbed, injured or removed prior to land use and permit approvals. Existing trees have been retained wherever possible; however, trees will need to be removed to provide area for home construction. Trees are preserved within the SROZ in Tract A, which contains a portion of the Boeckman Creek Trail alignment.

Trees identified to be retained will be protected during site preparation and construction according to the City Public Works design specifications as outlined in the Arborist Report and a condition of approval.

Earth Movement Hazard Area

Subsection 4.171 (.07)

D23. The applicant performed geotechnical investigations on the subject property and found no earth movement hazards in areas where development is proposed. A geotechnical report is provided in Exhibit B1.

Historic Resources

Subsection 4.171 (.09)

D24. Neither the applicant nor the City have identified any historic, cultural, or archaeological items on the sites, nor does any available information on the history of the site compel further investigation.

Public Safety and Crime Prevention

Design for Public Safety, Addressing, Lighting to Discourage Crime

Section 4.175

D25. The design of the Frog Pond Terrace development deters crime and ensures public safety. The lighting of the streets allows for visibility and safety. The orientation of homes toward streets provides “eyes on the street.” All dwellings will be addressed per Building and Fire Department requirements to allow identification for emergency response personnel. Dwellings will have exterior porch lighting, which will support the streetlights to provide safety and visibility.

Landscaping Standards

Intent and Required Materials

Subsections 4.176 (.02) C. through I.

D26. Planting areas along the street and open spaces within the subdivision are generally open and are not required to provide any specific screening, thus the design of the landscaping follows the general landscaping standards. The plantings include a mixture of ground cover, shrubs, trees, and stormwater swale plantings. Proposed street trees are consistent with previously established trees in other Frog Pond subdivisions.

Types of Plant Material, Variety and Balance, Use of Natives When Practicable

Subsection 4.176 (.03)

D27. The applicant proposes a professionally designed landscape using a variety of plant material. There are no parking areas proposed and no parking area landscaping is required. The landscape plans included in the applicant’s materials (Sheets L2.00-2.20) illustrate the

location and type of landscaping within public rights-of-way and tracts. The design includes a variety of native plants, particularly in the open space area.

Street Improvement Standards

Conformance with Standards and Plan

Subsection 4.177 (.01), Figures 19-27 Frog Pond West Master Plan

D28. The proposed streets appear to meet the City's Public Works Standards and Transportation System Plan. Further review of compliance with Public Works Standards and Transportation System Plan will occur with review and issuance of the Public Works construction permit.

Street Design Standards-Future Connections and Adjoining Properties

Subsection 4.177 (.02) A.

D29. The street network has been designed per the Frog Pond West Master Plan Street Demonstration Plan. Future connections to adjacent sites are anticipated to the east and south. SW Frog Pond Lane is extended west connecting overlook with the existing developments to the east. Street A provides an eastern connection to future development to the east and Frog Pond Lane to the south consistent with the Street Demonstration Plan.

City Engineer Determination of Street Design and Width

Subsection 4.177 (.02) B.

D30. The City Engineering Division has preliminarily found the street designs and widths as consistent with the cross sections shown in the Frog Pond West Master Plan. The Engineering Division will check final conformance with the cross sections shown in the Frog Pond West Master Plan during review of the Public Works permit.

Right-of-Way Dedication

Subsection 4.177 (.02) C. 1.

D31. The tentative subdivision plat shows right-of-way dedication. See Request F.

Waiver of Remonstrance Required

Subsection 4.177 (.02) C. 2.

D32. This Subsection requires that a waiver of remonstrance against formation of a local improvement district (LID) be recorded in the County Recorder's Office as well as the City's Lien Docket as a part of recordation of a final plat. This requirement is contained in the Development and Annexation Agreement and notes that in light of the developer's obligation to pay an Infrastructure Supplemental Fee and Boeckman Bridge Fee, release of the LID Waiver for a specific parcel within the Frog Pond Terrace development may occur upon official recording of the release of the waiver only after payment of these fees, and will require the developer to pay all costs and fees associated with the City's release of the

waiver. A Condition of Approval PDD 5 outlines the process to be followed with respect to the required LID Waiver and its release for a specific parcel.

Dead-end Streets Limitations

Subsection 4.177 (.02) D.

D33. No dead-end streets are proposed in the development; however, the north east end of Street A will temporary dead end until the property to the east develops (see Sheet P3.0).

Corner Vision Clearance

Subsection 4.177 (.02) E.

D34. Street locations and subdivision design allow the meeting of vision clearance standards.

Vertical Clearance

Subsection 4.177 (.02) F.

D35. Nothing in the proposed subdivision design would prevent the meeting of vertical clearance standards.

Interim Improvement Standards

Subsection 4.177 (.02) G.

D36. The City Engineer has or will review all interim improvements to meet applicable City standards.

Sidewalks Requirements

Subsection 4.177 (.03)

D37. The applicant proposes sidewalks along all public street frontages abutting proposed lots.

Bicycle Facility Requirements

Subsection 4.177 (.04)

D38. No on street bicycle facilities are required within the project area for Frog Pond Overlook. Condition of Approval PFD 2 requires all cross-sections to comply with the Frog Pond West Master Plan requirements prior to Final Plat approval. See Exhibit C1.

Pathways in Addition to, or in Lieu of, a Public Street

Subsection 4.177 (.05)

D39. No pedestrian and bicycle accessways are proposed in addition to, or in lieu of, public streets within the subdivision. The Boeckman Creek Trail in Tract A provides additional north-south connectivity through the development, connecting to the trail in Morgan Farm and Frog Pond Terrace to the south and Frog Pond Vista to the northeast.

Transit Improvements Requirements
Subsection 4.177 (.06)

D40. The applicant does not propose any transit improvements within the proposed subdivision. There is not currently transit service along SW Stafford Road or SW Boeckman Road; however, as the Frog Pond area develops, additional transit service may be added. Any transit improvements would be addressed at the time the need for additional transit service is identified.

Intersection Spacing

Offset Intersections Not Allowed
Subsection 4.177 (.09) A.

D41. The applicant does not propose any offset intersections.

Minimum Street Intersection Spacing in Transportation System Plan Table 3-2
Subsection 4.177 (.09) B.

D42. Streets within the development are local streets, which are not subject to minimum spacing standards.

Mixed Solid Waste and Recyclables Storage

Review by Franchise Garbage Hauler
Subsection 4.179 (.07)

D43. The proposed development does not contain multi-family residential or non-residential uses requiring the solid waste storage area to meet code requirements for size; however, the applicant has provided a letter from the franchised garbage hauler, Republic Services, to ensure the site plan provides adequate access for the hauler's equipment. The service provider letter is included in Exhibit B1. A turnaround with a stabilizing grass paving system is provided between the Tract A private open space and Lot 7 at the northeast end of Street A for the hauler's trucks; this turnaround is expected to be removed when future extension of the street occurs, providing needed connectivity. Homeowners of Lots 6-7 will be required to locate receptacles close to the turnaround and Lot 12 will be required to locate receptacles close to the west of Street A until the street is extended east in the future. The waste pickup requirements will be addressed in recorded CC&Rs.

Request E: Site Design Review of Parks and Open Space (SDR22-0003)

As described in the Findings below, the request meets the applicable criteria or will by Conditions of Approval.

Objectives of Site Design Review

Proper Functioning of the Site, High Quality Visual Environment Meets Objectives
Subsections 4.400 (.02) A., 4.400 (.02) C.-J., and Subsection 4.421 (.03)

E1. Project elements subject to Site Design Review include: tracts and their landscaping; landscaping in the public right-of-way; retaining walls; and park or open space furnishings. The proposed development is intended to advance the vision for Frog Pond West by incorporating the natural areas on site, providing attractive streetscapes, and enhancing the existing neighborhood to the south and the future neighborhoods to the east and north. The proposed professionally designed landscaping provides stormwater, air quality, and other site functions while demonstrating consistency with the Frog Pond West Master Plan. The landscaping also adds to the high quality visual environment. By functioning properly and contributing to a high quality visual environment, the proposed design fulfills the objectives of Site Design Review.

Encourage Originality, Flexibility, and Innovation
Subsection 4.400 (.02) B. and Subsection 4.421 (.03)

E2. The City code affords the applicant's design team flexibility to create an original design appropriate for the site while ensuring consistency with the Frog Pond West Master Plan.

Jurisdiction and Power of the DRB for Site Design Review

Development Review Board Jurisdiction
Section 4.420

E3. A condition of approval ensures landscaping is carried out in substantial accord with the DRB-approved plans, drawings, sketches, and other documents. The City will issue no building permits prior to approval by the DRB. The applicant has not requested variances from site development requirements.

Design Standards

Preservation of Landscaping
Subsection 4.421 (.01) A. and Section 4.171

E4. The site layout takes into consideration existing landscaping and preserving it where possible. The applicant has included open spaces (in Tract A adjacent to the Boeckman Trail) that allow for preservation of a sloped and wooded area on the northwest portion of the development.

Relation of Proposed Buildings to Environment
Subsection 4.421 (.01) B.

- E5. No structures are proposed by the proposed development at this time. Building design will be reviewed during the building permit review process.

Surface Water Drainage
Subsection 4.421 (.01) D.

- E6. As demonstrated in the applicant's plans, attention has been given to proper site surface drainage so that removal of surface waters will not adversely affect neighboring properties or the public storm drainage system. The location of LIDA facilities within the planter strips of the public streets, stormwater facilities within tracts, and details of LIDA facility planting are shown in Sheets P2.00 and L2.00-L2.20. Appendix B in Exhibit B1 includes the Preliminary Stormwater Drainage Report.

Above Ground Utility Installations
Subsection 4.421 (.01) E.

- E7. The applicant proposes no above ground utility installations. Existing overhead lines will be undergrounded. Each lot will be served by a sanitary sewer line (see Sheet P4.00). Storm sewage disposal is provided by a storm drain system connecting to each on-site stormwater facility.

Screening and Buffering of Special Features
Subsection 4.421 (.01) G.

- E8. No exposed storage areas, exposed machinery installations, surface areas, truck loading areas, utility buildings and structures, and similar accessory areas and structures exist or are proposed that require screening.

Applicability of Design Standards
Subsection 4.421 (.02)

- E9. This review applies the design standards to the proposed streetscape and open space areas, which are the portions of the proposed development subject to Site Design Review.

Conditions of Approval Ensuring Proper and Efficient Functioning of Development
Subsection 4.421 (.05)

- E10. Staff recommends no additional conditions of approval to ensure the proper and efficient functioning of the development.

Site Design Review Submission Requirements

Submission Requirements Section 4.440

E11. The applicant has provided a sufficiently detailed landscape plan and street tree plan to review the streetscape and open space areas subject to Site Design Review.

Time Limit on Site Design Review Approvals

Void after 2 Years Section 4.442

E12. The applicant has indicated that they will pursue development within two years. The approval will expire after two years if not vested, or an extension is not requested and granted, consistent with City Code.

Installation of Landscaping

Landscape Installation or Bonding Subsection 4.450 (.01)

E13. A condition of approval ensures all landscaping in common tracts shall be installed shall be installed prior to Final Plat Approval, unless security equal to one hundred and ten percent (110%) of the cost of the landscaping as determined by the Planning Director is filed with the City assuring such installation within six (6) months of occupancy. "Security" is cash, certified check, time certificates of deposit, assignment of a savings account, irrevocable letter of credit, or such other assurance of completion as shall meet with the approval of the City Attorney. In such cases the developer shall also provide written authorization, to the satisfaction of the City Attorney, for the City or its designees to enter the property and complete the landscaping as approved. If installation of the landscaping is not completed within the six-month period, or within an extension of time authorized by the DRB, the security may be used by the City to complete the installation. Upon completion of the installation, any portion of the remaining security deposited with the City shall be returned to the applicant. A condition of approval further requires that the applicant, prior to Final Plat Approval, either (1) enter into a Residential Subdivision Development Compliance Agreement with the City that covers installation of street trees and right-of-way landscaping or (2) install all street trees and other right-of-way landscaping.

Approved Landscape Plan Subsection 4.450 (.02)

E14. A condition of approval ensures the approved landscape plan is binding upon the applicant/owner. It prevents substitution of plant materials, irrigation systems, or other aspects of an approved landscape plan without official action of the Planning Director or DRB, as specified in this Code.

Landscape Maintenance and Watering

Subsection 4.450 (.03)

- E15.** A condition of approval ensures continual maintenance of the landscape, including necessary watering, weeding, pruning, and replacing, in a substantially similar manner as originally approved by the DRB, unless altered with appropriate City approval.

Modifications of Landscaping

Subsection 4.450 (.04)

- E16.** A condition of approval provides ongoing assurance by preventing modification or removal without the appropriate City review.

Natural Features and Other Resources

Protection

Section 4.171

- E17.** The proposed design of the site provides for protection of natural features and other resources consistent with the proposed Stage 2 Final Plan for the site as well as the purpose and objectives of Site Design Review. See Findings D21 through D24 under Request D.

Landscaping

Landscape Standards Code Compliance

Subsection 4.176 (.02) B.

- E18.** The applicant requests no waivers or variances to landscape standards. Thus, all landscaping and screening must comply with standards of this section.

Intent and Required Materials

Subsections 4.176 (.02) C. through I.

- E19.** The general landscape standard applies throughout different landscape areas of the site and the applicant proposes landscape materials to meet each standard in the different areas. Site Design Review is being reviewed concurrently with the Stage 2 Final Plan which includes an analysis of the functional application of the landscaping standards. See Finding D26 under Request D.

Quality and Size of Plant Material

Subsection 4.176 (.06)

- E20.** The quality of the plant materials must meet American Association of Nurserymen (AAN) standards as required by this Subsection. Trees as shown on the applicant's plans are specified at 2-inch caliper or greater than 6 feet for evergreen trees. Shrubs are specified 2 gallon or greater in size. Ground cover is specified as greater than 4 inches. Turf or lawn is used for a minimal amount of the proposed public landscape area. Conditions of approval

ensure the requirements of this subsection are met including use of native topsoil, mulch, and non-use of plastic sheeting.

Landscape Installation and Maintenance

Subsection 4.176 (.07)

E21. Installation and maintenance standards are or will be met by Conditions of approval as follows:

- Plant materials are required to be installed to current industry standards and be properly staked to ensure survival.
- Plants that die are required to be replaced in kind, within one growing season, unless appropriate substitute species are approved by the City.
- Preliminary Landscape Notes No. 1 on the applicant's sheet L2.20 provides for irrigation during the establishment period.

Landscape Plans

Subsection 4.176 (.09)

E22. The applicant's submitted landscape plans, Sheets L2.00-L2.20, provide the required information.

Completion of Landscaping

Subsection 4.176 (.10)

E23. The applicant has not requested to defer installation of plant materials.

Public Lighting Plan

Lighting of Local Streets

Local Street, page 78 and Figure 42 of Frog Pond West Master Plan

E24. Sheet P4.00 in Exhibit B2 shows proposed street lights on local streets. The Frog Pond Master Plan requires PGE Option 'B' LED with Westbrook 35W LED and 18' decorative aluminum pole (20-foot mounting height with 4 foot mast arm). These are dark sky friendly and located with a professionally designed layout to minimize negative effects on future homes, provide for safety, and use a consistent design established by the Frog Pond West Master Plan. The applicant's materials specify the King Aurora Pendant as the proposed fixture. As explained in the applicant's materials, the Westbrook is no longer available from PGE and the King Aurora is now used as the closest matching design.

Lighting of Pathways

Pedestrian Connections, Trailheads and Paths, page 80 and Figure 42 of Frog Pond West Master Plan

E25. The Frog Pond West Master Plan requires a Public Lighting Plan and recommended light plan hierarchy to define various travel routes within Frog Pond. Pedestrian connections, trailheads, and paths are required to be uniformly illuminated and shall follow the Public Works Standards for Shared Use Path Lighting. A condition of approval requires the

applicant to remove lighting along the Boeckman Creek Trail, which is adjacent to the SROZ, to minimize light pollution and discourage use of the trail after dark.

Street Tree Plan

Tree Lists for Primary Streets, Neighborhood Streets, and Pedestrian Connections
Pages 81-83 and Figure 43 of Frog Pond West Master Plan

E26. The Street Tree Plan provides guidance tied to the street typology for Frog Pond West, with an overall intent to beautify and unify the neighborhood while providing a variety of tree species. The Frog Pond West Master Plan intends to achieve continuity through consistent tree types and consistent spacing along both sides of a street.

The proposed street tree species comply with the Frog Pond West Master Plan or will with a condition of approval as follows:

Street Name	Street Type	Proposed Species	Compliance Notes
SW Frog Pond Lane	Neighborhood	Tulip Tree	On approved list; consistent with species established in existing developments to the east.
Street A (Windflower Street)	Neighborhood	Chinese Pistache	On approved list; consistent with species established in Frog Pond Oaks, Vista and Crossing.

Gateways, Monuments and Signage

Unifying Frog Pond Name, Gateway Signs, Prohibition on Individual Subdivision Signs
Page 92 of the Frog Pond West Master Plan

E27. There are no neighborhood gateways planned within the area of Frog Pond Overlook; therefore, no monument signs or other permanent subdivision identification signs are permitted.

Unifying Frog Pond Name, Sign Caps on Street Signs
Page 92 of the Frog Pond West Master Plan

E28. As required by a condition of approval, all street name signs will be installed prior to Final Plat approval and utilize the City-approved sign cap throughout the subdivision, matching the design used in the previously approved subdivisions within Frog Pond. The developers will buy the signs from the City to ensure uniformity throughout the Frog Pond West neighborhood.

Request F: Tentative Subdivision Plat (SUBD22-0001)

As described in the Findings below, the request meets the applicable criteria or will by Conditions of Approval.

Land Division Authorization

Plat Review Authority
Subsection 4.202 (.01) through (.03)

F1. The DRB is reviewing the tentative subdivision plat according to this subsection. The Planning Division will review the final plat under the authority of the Planning Director to ensure compliance with the DRB review of the tentative subdivision plat.

Undersized Lots Prohibited
Subsection 4.202 (.04) B.

F2. The proposed lots meet the dimensional standards of the RN zone and the R-10 sub-districts. See Finding D8 under Request D.

Plat Application Procedure

Pre-Application Conference
Subsection 4.210 (.01)

F3. The applicant requested and attended a pre-application conference in accordance with this subsection.

Tentative Plat Preparation
Subsection 4.210 (.01) A.

F4. Following gathering information from Planning staff, the appropriate professionals from the applicant's design firm, Otak, prepared the tentative plat.

Tentative Plat Submission
Subsection 4.210 (.01) B.

F5. The applicant has submitted a tentative plat with all the required information.

Phases to Be Shown
Subsection 4.210 (.01) D.

F6. The applicant is proposing to construct the development in one phase and does not include a phasing plan along with the application materials.

Remainder Tracts
Subsection 4.210 (.01) E.

F7. The tentative plat accounts for all land within the plat area as lots, tracts, or right-of-way.

Street Requirements for Land Divisions

Master Plan or Map Conformance

Subsection 4.236 (.01)

- F8.** As found in other findings in this report, the land division conforms with the Transportation System Plan, Frog Pond West Master Plan, and other applicable plans.

Adjoining Streets Relationship

Subsection 4.236 (.02)

- F9.** The proposed plat enables the extension of streets consistent with the Frog Pond West Master Plan.

Streets Standards Conformance

Subsection 4.236 (.03)

- F10.** As part of the Stage 2 Final Plan approval, the streets conform with Section 4.177 and generally conform with block sizes established in the Frog Pond West Master Plan. See Request D.

Topography

Subsection 4.236 (.05)

- F11.** The street layout recognizes topographical conditions, including the location of the SROZ on site and no street alignment adjustments from the Frog Pond West Master Plan are necessary.

Reserve Strips

Subsection 4.236 (.06)

- F12.** The City is not requiring any reserve strips for the reasons stated in this subsection.

Future Street Expansion

Subsection 4.236 (.07)

- F13.** Where the Frog Pond West Master Plan shows street extensions, the tentative plat extends the right-of-way to the edge of the plat. A condition of approval requires signs stating “street to be extended in the future” or similar language approved by the City Engineer.

Additional Right-of-Way

Subsection 4.236 (.08)

- F14.** A condition of approval ensures dedication of sufficient right-of-way for planned improvements along SW Frog Pond Lane.

Street Names

Subsection 4.236 (.09)

F15. None of the streets within the subdivision have been identified within the Frog Pond West Master Plan. The applicant includes extensions of or improvements to SW Frog Pond Lane established in developments to the east and names the street accordingly. In addition to the existing streets, the applicant proposes Street A, which will be named SW Windflower Street consistent with the naming convention established in subdivisions to the east. The City Engineer will check all street names at the time of Final Plat review.

General Land Division Requirements-Blocks

Blocks for Adequate Building Sites in Conformance with Zoning

Subsection 4.237 (.01)

F16. The proposed blocks substantially conform to Figure 18 of the Frog Pond West Master Plan. The proposed blocks allow for lots meeting the minimum size and other dimensional standards for the relevant sub-districts of the Frog Pond West Master Plan. See Finding D11 under Request D.

General Land Division Requirements-Easements

Utility Line Easements

Subsection 4.237 (.02) A.

F17. As will be further verified during the Public Works Permit review and Final Plat review, public utilities will be placed within public rights-of-way or within public utility easements (PUE) adjacent to the public streets. Stormwater facility easements are proposed where these facilities are located on private property and are intended to be shared between more than one lot. Franchise utility providers will install their lines within public utility easements established on the plat.

Water Courses

Subsection 4.237 (.02) B.

F18. The applicant proposes a dedicated tract for the drainage way and associated riparian area of the Boeckman Creek SROZ.

General Land Division Requirements-Pedestrian and Bicycle Pathways

Mid-block Pathways Requirement

Subsection 4.237 (.03)

F19. The blocks that will be created by the proposed subdivision are all less than 330 ft. in length, therefore, mid-block bicycle and pedestrian pathways are not required or proposed. See Finding D13.

General Land Division Requirements-Tree Planting

Tree Planting Plan Review and Street Tree Easements
Subsection 4.237 (.04)

F20. The City is reviewing the tree planting plan concurrently with the tentative plat, see Requests D and E.

General Land Division Requirements-Lot Size and Shape

Lot Size and Shape Appropriate
Subsection 4.237 (.05)

F21. The size, width, shape, and orientation of lots comply with the identified sub-districts in the Frog Pond West Master Plan. See Finding D8 in Request D.

General Land Division Requirements-Access

Minimum Street Frontage
Subsection 4.237 (.06)

F22. The full width of the front lot line of each lot fronts a public street. Each lot meets or exceeds the minimum lot width at the front lot line. See Finding D8 in Request D.

General Land Division Requirements-Other

Lot Side Lines
Subsection 4.237 (.08)

F23. Almost all side lot lines run at a 90-degree angle to the front line. Angles and curves of streets necessitate the exceptions, including Lot 8.

Land for Public Purposes
Subsection 4.237 (.12)

F24. The subject property contains SROZ land surrounding Boeckman Creek. The Frog Pond West Master Plan indicates that the Boeckman Creek Regional Trail shall be provided along the western and northern portion of the subject property along the SROZ. This land will become part of the parks and open space system to be dedicated to the City. A condition of approval ensures that prior to dedication of Tract A, the applicant/owner shall provide a Phase I Environmental Site Assessment, and if warranted, and Phase II Environmental Site Assessment, addressed to the City.

Corner Lots
Subsection 4.237 (.13)

F25. All corner lots have radii exceeding the 10-foot minimum.

Lots of Record

Lots of Record
Section 4.250

F26. The applicant provided documentation all subject lots are lots of record.

Request G: Type C Tree Removal Plan (TPLN22-0001)

As described in the Findings below, the request meets the applicable criteria or will by Conditions of Approval.

Type C Tree Removal

Review Authority When Site Plan Review Involved
Subsection 4.610.00 (.03) B.

G1. The requested tree removal is connected to Site Plan Review by the DRB and, thus, is under their authority.

Reasonable Timeframe for Removal
Subsection 4.610.00 (.06) B.

G2. It is understood that tree removal will be completed by the time the applicant completes construction of all houses and other improvements in the subdivision, which is a reasonable time frame for tree removal.

Security for Permit Compliance
Subsection 4.610.00 (.06) C.

G3. As allowed by Subsection 1, the City is waiving the bonding requirement as the application is required to comply with WC 4.264 (.01).

General Standards for Tree Removal, Relocation or Replacement

Preservation and Conservation
Subsection 4.610.10 (.01)

G4. Proposed land clearing is limited to designated street rights-of-way and areas necessary for construction of homes. Homes will be designed and constructed, as much as possible, to blend into the natural areas on the site.

Per the arborist's report included on Sheet L1.00 in Exhibit B2, there are 150 on-site trees and four (4) off-site trees in the inventory. Forty-three on-site trees and four off-site trees will be preserved with 107 on-site trees proposed for removal.

As shown on Sheet L1.00, most of the trees to be removed are proposed for removal throughout the site with the highest concentration of trees proposed for removal along the southern property line. The location of proposed streets was determined by the Frog Pond

West Master Plan and the City's block length and perimeter standards. Removal of the trees is necessary for construction of site improvements, including utilities, streets, and residential homes. In addition, grading of each lot is needed to accommodate residential development and associated site improvements (driveways and walkways, stormwater management, outdoor yard areas, etc.). Reducing building footprints by increasing height is not a viable alternative as the height limit in the RN zone is 35 ft., or 2.5 stories.

Development Alternatives

Subsection 4.610.10 (.01) C.

- G5.** The Frog Pond West Master Plan provides clear direction for street connections, residential densities, and preservation of the SROZ. Preservation and conservation of 43 out of 150 trees on site is proposed. Conditions of approval ensure this criterion is met.

Land Clearing Limited to Right-of-Way and Areas Necessary for Construction

Subsection 4.610.10 (.01) D.

- G6.** The proposed clearing is necessary for streets, alleys, houses, and related improvements.

Residential Development to Blend into Natural Setting

Subsection 4.610.10 (.01) E.

- G7.** New tree plantings, preservation of existing trees, and new native ground cover proposed within Tract A allow the development to blend with the natural elements of the property. The project area is otherwise relatively flat land without significant natural features with which to blend.

Compliance with All Applicable Statutes and Ordinances

Subsection 4.610.10 (.01) F.

- G8.** As found elsewhere in this report, the City is applying the applicable standards.

Tree Relocation and Replacement, Protection of Preserved Trees

Subsection 4.610.10 (.01) G.

- G9.** Reviews of tree removal, replacements, and protection is in accordance with the relevant sections of the Code.

Tree Removal Limitations

Subsection 4.610.10 (.01) H.

- G10.** The proposed tree removal is due to health or necessary for construction.

Additional Standards for Type C Permits

Tree Survey and Tree Maintenance and Protection Plan to be Submitted
Subsection 4.610.10 (.01) I. 1.-2.

G11. The applicant submitted the required Tree Maintenance and Protection Plan and Tree Survey (see Exhibit B2 and Sheets L1.00-L1.10).

Utilities Locations to Avoid Adverse Environmental Consequences
Subsection 4.610.10 (.01) I. 3.

G12. The Utility Plan (Sheet P4.00) shows a design to minimize impact on the environment to the extent feasible given existing conditions, particularly the SROZ. The City will further review utility placement in relation to the SROZ and preserved trees during review of construction drawings and utility easement placement on the final plat.

Type C Tree Plan Review

Tree Removal Related to Site Development at Type C Permit
Subsection 4.610.40 (.01)

G13. Review of the proposed Type C Tree Plan is concurrent with other site development applications.

Standards and Criteria of Chapter 4 Applicable
Subsection 4.610.40 (.01)

G14. As found elsewhere in this report, the City's review applies applicable standards.

Application of Tree Removal Standards Can't Result in Loss of Development Density
Subsection 4.610.40 (.01)

G15. The proposed subdivision allows residential lot counts consistent with the Frog Pond West Master Plan.

Development Landscape Plan and Type C Tree Plan to be Submitted Together
Subsection 4.610.40 (.01)

G16. The applicant submitted the Type C Tree Plan concurrently with the landscape plan for the proposed development.

Type C Tree Plan Review with Stage 2 Final Plan
Subsection 4.610.40 (.01)

G17. Review of the proposed Type C Tree Plan is concurrent with the Stage 2 Final Plan. See Request D.

Required Mitigation May Be Used to Meet Landscaping Requirements
Subsection 4.610.40 (.01)

G18. The applicant proposes counting the twenty seven (27) proposed street trees and twenty one (21) landscaping trees as mitigation for removal.

No Tree Removal Before Decision Final
Subsection 4.610.40 (.01)

G19. Review of the proposed Type C Tree Plan is concurrent with other necessary land use approvals. The City will not issue any tree removal permit prior to final approval of concurrent land use requests and annexation into the City. While the land is currently under jurisdiction of Clackamas County, a condition of approval binds the applicant to no tree removal on the properties, except for hazardous situations unrelated to development, prior to issuance of the post-annexation tree removal permit by the City.

Tree Maintenance and Protection Plan Submission Requirements
Section 4.610.40 (.02)

G20. The applicant submitted the necessary copies of a Tree Maintenance and Protection Plan.

Tree Relocation, Mitigation, or Replacement

Tree Replacement Required
Subsection 4.620.00 (.01)

G21. Consistent with the tree replacement requirements for Type C Tree Removal Permits established by this subsection, the applicant proposes to plant mitigation trees and pay into the City Tree Fund consistent with Subsection 4.620.00 (.06).

Replacement Requirement: 1 for 1, 2-inch Caliper
Subsection 4.620.00 (.02)

G22. The applicant proposes mitigating removed trees on a basis of one tree for each tree removed and paying into the City Tree Fund, proposing 48 replacement trees (see Sheets L2.00-L2.20) and paying the equivalent cost of planting 59 trees (59 trees x \$300 per tree = \$17,700) into the City Tree Fund. The applicant proposes planting 48 new trees in the form of 27 street trees and 21 landscape trees along the Boeckman Creek Trail and in the private open space in Tract A. Staff does not recommend any inch per inch mitigation. Sheets L2.00-L2.20 show all trees proposed for planting as mitigation as 2-inch caliper.

Replacement Plan and Tree Stock Requirements
Subsections 4.620.00 (.03) and (.04)

G23. Review of the Tree Replacement and Mitigation Plan is prior to planting and in accordance with the Tree Ordinance, as established by other findings in this request. The applicant's landscape plans show tree stock meeting the tree stock requirements.

Replacement Trees, City Tree Fund
Subsection 4.620.00 (.05)

G24. As shown on the Street Tree Planting Plan (Sheet L2.00), some of these replacement trees consist of street trees. Trees will likely be planted on the individual dwelling lots at the time of site development but are not proposed to be included in the replacement tree plans. The applicant propose to pay the \$17,700 into the City Tree Fund which is the equivalent cost of replanting 59 trees.

Protection of Preserved Trees

Tree Protection During Construction
Section 4.620.10

G25. A condition of approval ensures tree protection measures, including fencing, are in place consistent with Public Works Standards Detail Drawing RD-1240.

Request H: Abbreviated SROZ Map Verification (SROZ22-0004)

As described in the Findings below, the request meets the applicable criteria or will by Conditions of Approval.

Abbreviated SROZ Map Verification

Requirements and Process
Section 4.139.05

H1. Consistent with the requirements of this section, a verification of the SROZ boundary is required as the applicant requests a land use decision. The applicant conducted a detailed site analysis consistent with the requirements of this section, which the City's Natural Resources Manager reviewed verifying the SROZ boundary.